



Försättsblad till skriftlig tentamen vid Linköpings Universitet

Datum för tentamen	2014-03-20
Sal (1) Om tentan går i flera salar ska du bifoga ett försättsblad till varje sal och <u>ringa in</u> vilken sal som avses	TER4
Tid	14-18
Kurskod	TDDD25
Provkod	TEN1
Kursnamn/benämning Provnamn/benämning	Distribuerade system Skriftlig tentamen
Institution	IDA
Antal uppgifter som ingår i tentamen	14
Jour/Kursansvarig Ange vem som besöker salen	Petru Eles
Telefon under skrivtiden	0703681396
Besöker salen ca kl.	15:15
Kursadministratör/kontaktperson (namn + tfnr + mailaddress)	Carita Lilja, 1463, carita.lilja@liu.se
Tillåtna hjälpmedel	Ordbok
Övrigt	
Vilken typ av papper ska användas, rutigt eller linjerat	
Antal exemplar i påsen	

LINKÖPINGS TEKNISKA HÖGSKOLA
Institutionen för datavetenskap
Petru Eles

Tentamen i kursen
Distribuerade System- TDDD25
2014-03-20, kl. 14-18

Hjälpmedel:

Engelsk ordbok.

Supporting material:

English dictionary.

Poänggränser:

Maximal poäng är 40.
För godkänt krävs sammanlagt
21 poäng.

Points:

Maximum points: 40.
In order to pass the exam you need a
total of minimum 21 points.

Jourhavande lärare:

Petru Eles, tel. 0703681396

Good luck !!!

Tentamen i kursen Distribuerade System -TDDD25, 2014-03-20 kl. 14-18
Du kan skriva på svenska eller engelska!

1. We have introduced three fault models. Which are they? Describe each of them. (2p)

2. How can *exactly once semantics* be achieved in the case of lost messages (assuming the server never crashes)?. (3p)

3. Publish-Subscribe systems:
 - a) Draw a figure in which you illustrate the three players (publishers, subscribers, and notification service) and their interaction.
 - b) Explain the filtering function and illustrate by an example. (3p)


4. What are potential problems with client-server systems?
How are they solved with peer-to-peer systems?
What are key issues and problems with peer-to-peer systems? (2p)

5. BitTorrent and Napster:
 - a) Explain how each of them works; illustrate by a figure indicating the successive steps performed for access.
 - b) Compare the two. (4p)

6. We have identified an important limitation of Lamport's logical clocks (NOT the one related to the lack of total ordering, which is not so important).
 - a) What is that limitation? Illustrate by an example.
 - b) Show, using the same example, how vector clocks solve that problem. (3p)

Du kan skriva på svenska eller engelska!

7. What is a cut of a distributed computation? What means a consistent and a strongly consistent cut? Consider the following set of events:



Determine for each of the following cuts if it inconsistent, consistent or strongly consistent:
 $\{c_2, c_6, c_8\}$, $\{c_1, c_4, c_7\}$, $\{c_1, c_5, c_7\}$, $\{c_1, c_6, c_8\}$, $\{c_1, c_6, c_7\}$, $\{c_3, c_6, c_8\}$, $\{c_2, c_5, c_8\}$.

(3p)

8. Explain the following types of redundancy:

- Time redundancy
- Hardware redundancy
- Software redundancy
- Information redundancy

(3p)

9. Consider mutual exclusion with the Ricart-Agrawala algorithm (the first algorithm, not using a token). Imagine three processes: P_0 , P_1 , and P_2 . P_1 and P_2 are requesting the same resource, and the timestamp of the requests is (6, 1) and (5, 2) respectively. Illustrate the sequence of messages exchanged (use figures). Who gets the resource first?

(3p)

10. The Byzantine Generals Problem: show how agreement is not or is possible for three and for four participants respectively, in the case one of the generals (not the commander) is a traitor (illustrate the exchange of messages with figures).

(3p)

Tentamen i kursen Distribuerade System -TDDD25, 2014-03-20 kl. 14-18

Du kan skriva på svenska eller engelska!

11. Consider a bully election with 6 processes, P_1, \dots, P_6 . P_6 , the current coordinator, fails and P_3 starts the election. Illustrate the sequence of messages exchanged (use figures).


(3p)

12. What is the basic idea with voting protocols for updating replicated data? How do they work? Consider a set of 12 replica managers. Define two voting protocols. One for a situation when the number of writes is relatively large compared to that of reads, and the other for the reverse situation. Give examples of read and write quorums (use figures).

(3p)

13. You know the maximum drift rate of the clocks on two processors and the maximal allowed skew between them. How do you determine the maximum interval between two successive synchronizations between the clocks? Consider both the case when after synchronisation the clocks are perfectly aligned and the case when after synchronisation there exists an offset Φ between the clocks.

(2p)



14. The figure shows the message exchange performed for clock synchronisation in the Precision Time Protocol (PTP).

- What is the role of the "Sync Follow up message"? Why is it needed?
- What information is the "Delay Response message" carrying?
- Once the values $T1, T2, T3, T4$ are known, how is the clock update performed?

(3p)